Geometric flows

Paweł Walczak*

Abstract

We will survey results on geometric flows of two types:

- *intrinsic* acting on general Riemannian manifolds (see, for instance, **[CY]** and the bibliography therein) like famous *Ricci flow* (see, for example, **[CK]** and the bibliography therein) providing the solution of Poincaré Conjecture by Perelman **[Pe]**, and
- *extrinsic* acting on Riemannian manifolds equipped with a foliation or, more generally, arbitary, perhaps nonintergrable, plane fields (see [**RW**] and the biblioraphy therein) and being motivated by the classical *mean curvature flow* (see, among the others, [**Br**, **Hu**, **Ma**] and, again and again, the bibliographies therein).

References

- [Br] K. A. Brakke, *The motion of the surface by its mean curvature flow*, Princeton Univ. Press 1978.
- [CY] H.-D. Cao and S.-T. Yao, *Geometric Flows*, International Press 2008.
- [CK] B. Chow and D. Knopf, *The Ricci Flow: An Introduction*, Amer. Math. Soc. 2004.
- [Hu] G. Huisken, Flow by mean curvature of convex surfaces into spheres, J. Diff. Geom., 20 (1984), 237 – 266.
- [Ma] C. Mantegazza, Lecture Notes on Mean Curvature Flow, Birkhäuser 2011.
- **[Pe]** G. Perelman, three preprints, arXive 2002 2003.
- [RW] V. Rovenski and P. Walczak, Extrinsic Geometry of Foliations, Birkhäuser 2021.

^{*}Katedra Geometrii, Uniwersytet Łódzki, ul. Banacha 22, 90-238 Łódź, Poland e-mail: pawel.walczak@wmii.uni.lodz.pl